

**RAJIV GANDHI INSTITUTE OF PETROLEUM
TECHNOLOGY
JAIS, AMETHI- 229304
UTTAR PRADESH, INDIA**


CORRIGENDUM – 2

Date:13.05.2022

The Tender No. RGIPT/JAIS/Project/ 2022-23/01 dated 22nd April 2022, for procurement of '**01 NO. Multichannel Electrochemical Work Station**' refers. The tender published on the CPP portal for procurement of subject equipment is subject to accepting foreign currencies US Dollar, Japanese Yen, and Euro. However, due to locked BOQ and its default features, it is accepting only one foreign currency for the basic cost of foreign equipment and other admissible charges i.e. C.I.F. price up to Indian Airport/port and total price at Indian Airport/Port as shown in column L of Row 14 of BOQ. In view of this technical error faced by the bidder, following corrigendum is issued in respect of financial bid/BOQ.

(a) Bidders should quote the price in default currency shown in Column L of Row 14 of BOQ. **However, they must furnish a certificate mentioning the actual currency name in which they want to participate on their Company's letterhead.** This certificate should be submitted along with technical bid documents.

(b) The values put in the columns M, N & O of row 14 of BOQ should be in the desired currency for which they want to participate in the tender. This is only applicable for foreign equipment and other associated charges mentioned in the **financial part of the tender document**, where foreign currency is required to quoted.



Dr. U. Ojha

(Chairman, DST Project Purchase Committee)