

राजीव गाँधी पेट्रोलियम प्रौद्योगिकी संस्थान

(संसद के अधिनियम के अधीन स्थापित राष्ट्रीय महत्व का एक संस्थान)

जायस ,अमेठी, उत्तर प्रदेश, भारत-229304

RAJIV GANDHI INSTITUTE OF PETROLEUM TECHNOLOGY

(An Institution of National Importance Established under an Act of Parliament)

Jais, Amethi - 229304, Uttar Pradesh, India

QUOTATION ENQUIRY

Ref. No.: RGIPT/JAIS/PEGE/UG/QE/2023-24/08

Dated: 10.11.2023

Last Date and time for the quote: 21.11.2023 till 13:00 hours in the Office of the Department of Department of Petroleum Engineering & Geoen지니어ing, 5th Floor, AB-1, RGIPT, Jais, UP-229304.

Dear Sir/Madam,

Please submit your lowest quotation for supplying the under mentioned item. Quotation must reach us before the date marked above and should contain the following information:

1. Clearly mention the date of validity of offer.
2. **Kindly clearly mention your E-mail ID and Mobile number.**
3. Kindly mention appropriate GST % as applicable for supplying of Goods & Services to educational institution.
4. Please mention your GST registration number and PAN in the quotation.
5. Conditions of supply and terms of payment shall be clearly mentioned in the quotation.

Quotation must be sent in **sealed envelope** with word **“QUOTATION for Core Plugging Machine for Soft Rock Along with strength index tester for rock (Protodyakonov Strength index test)”**. and addressed to Office of the Department of Petroleum Engineering & Geoen지니어ing, 5th Floor, AB-1, RGIPT, Jais- 229304 (UP). Our reference number and last date as given above should be clearly marked over it.

Details of the item are as follows:



Item Name: **Core Plugging Machine for Soft Rock Along with strength index tester for rock (Protodyakonov Strength index test)”**.

Technical Specification- **“Core Plugging Machine for Soft Rock Along with strength index tester for rock (Protodyakonov Strength index test)”**.

Specifications	Bidder's Specification	Compliance/ Deviation
(A) Technical specification of core plugging machine		
Core diameter	1.5 inches and 2 inches	
Thread Size	1/2 BS - 14TPI	
Core Drill Bit	1.5 Inches and 2 inch	

Handwritten signature/initials

Core Tray Size	Min 4X4 Inches		
Core Clamping System	Rubber Supported		
RPM, 200-400, Machine should have AC Drive and VFD control Coolent Tank with wet conditions through water adopter			
The unit have a sturdy base with Pillar support along with rack for adjustment			
The electric motor of machine for working on 1 HP, 3 phases, 415X440V, AC, 50X60 Hz			
Two step pulley and belt drive.			
Drill bit : 2 nos. for 1.5 inches Diameter and 2 nos. for 2nches Diameter Standard Warranty AMC – 3years			
(B) Technical specification of STRENGTH INDEX TESTER Protodyakonov strength index test)			
Cylinder internal diameter = 76mm			
Hammer diameter = 73mm			
Hammer height = 73mm			
Hammer weight =2.4 Kg (24N).			
Utility= To carry out the test, the hammer was dropped from a height of 600 mm onto the rock samples to assess their crushability.			



Handwritten signature

N. B.: Other terms & conditions pertaining to item mention are mentioned below:

1. Supply must be executed in full within the four weeks of release of PO.
2. Penalty will be deducted in case of delay in supply as per the institute norms.
3. AMC: 3 Year
4. Installation and Training



Prof. Satish Kumar Sinha
Chairman, DPC
Department of Petroleum Engineering & Geoengineering,
RGIPT, Jais